

What is claimed is:

1. A flexible carrying implement comprising a laminate web comprising:
- a) a first web;
 - b) a second web joint to said first web in a face-to-face relationship at a plurality of discrete bond sites, the first and second webs forming an interior region therebetween;
 - c) said bond site defining an elongated melt weakened region having an aspect ratio of at least about 2 and having a longitudinal axis oriented in a first direction and a transverse axis oriented in a second direction orthogonal to said first direction; and
 - d) a third material involved in said discrete bond sites and substantially filling said interior region.
2. A medical application comprising a laminate web comprising:
- a) a first web;
 - b) a second web joint to said first web in a face-to-face relationship at a plurality of discrete bond sites, the first and second webs forming an interior region therebetween;
 - c) said bond site defining an elongated melt weakened region having an aspect ratio of at least about 2 and having a longitudinal axis oriented in a first direction and a transverse axis oriented in a second direction orthogonal to said first direction; and
 - d) a third material involved in said discrete bond sites and substantially filling said interior region.
3. A kitchen or bathroom implement comprising a laminate web comprising:
- a) a first web;
 - b) a second web joint to said first web in a face-to-face relationship at a plurality of discrete bond sites, the first and second webs forming an interior region therebetween;
 - c) said bond site defining an elongated melt weakened region having an aspect ratio of at least about 2 and having a longitudinal axis oriented in a first direction and a transverse axis oriented in a second direction orthogonal to said first direction; and
 - d) a third material involved in said discrete bond sites and substantially filling said interior region.

4. A decorative covering comprising a laminate web comprising:
- a) a first web;
 - b) a second web joint to said first web in a face-to-face relationship at a plurality of discrete bond sites, the first and second webs forming an interior region therebetween;
 - c) said bond site defining an elongated melt weakened region having an aspect ratio of at least about 2 and having a longitudinal axis oriented in a first direction and a transverse axis oriented in a second direction orthogonal to said first direction; and
 - d) a third material involved in said discrete bond sites and substantially filling said interior region.
5. A home accent item comprising a laminate web comprising:
- a) a first web;
 - b) a second web joint to said first web in a face-to-face relationship at a plurality of discrete bond sites, the first and second webs forming an interior region therebetween;
 - c) said bond site defining an elongated melt weakened region having an aspect ratio of at least about 2 and having a longitudinal axis oriented in a first direction and a transverse axis oriented in a second direction orthogonal to said first direction; and
 - d) a third material is involved in said discrete bond sites and substantially filling said interior region.
6. A pet industry article comprising a laminate web comprising:
- a) a first web;
 - b) a second web joint to said first web in a face-to-face relationship at a plurality of discrete bond sites, the first and second webs forming an interior region therebetween;
 - c) said bond site defining an elongated melt weakened region having an aspect ratio of at least about 2 and having a longitudinal axis oriented in a first direction and a transverse axis oriented in a second direction orthogonal to said first direction; and
 - d) a third material involved in said discrete bond sites and substantially filling said interior region.

09886828 062101
101290 82898860

7. A fabric or fabric backing comprising a laminate web comprising:
 - a) a first web;
 - b) a second web joint to said first web in a face-to-face relationship at a plurality of discrete bond sites, the first and second webs forming an interior region therebetween;
 - c) said bond site defining an elongated melt weakened region having an aspect ratio of at least about 2 and having a longitudinal axis oriented in a first direction and a transverse axis oriented in a second direction orthogonal to said first direction; and
 - d) a third material involved in said discrete bond sites and substantially filling said interior region.
8. An edible material comprising a laminate web comprising:
 - a) a first web;
 - b) a second web joint to said first web in a face-to-face relationship at a plurality of discrete bond sites, the first and second webs forming an interior region therebetween;
 - c) said bond site defining an elongated melt weakened region having an aspect ratio of at least about 2 and having a longitudinal axis oriented in a first direction and a transverse axis oriented in a second direction orthogonal to said first direction; and
 - d) a third material is involved in said discrete bond sites and substantially filling said interior region.
9. A bedding application comprising a laminate web comprising:
 - a) a first web;
 - b) a second web joint to said first web in a face-to-face relationship at a plurality of discrete bond sites, the first and second webs forming an interior region therebetween;
 - c) said bond site defining an elongated melt weakened region having an aspect ratio of at least about 2 and having a longitudinal axis oriented in a first direction and a transverse axis oriented in a second direction orthogonal to said first direction; and
 - d) a third material is involved in said discrete bond sites and substantially filling said interior region.

ADD 74 1